

Version: 2020.VIS Dyes

## Technical Data Sheet

Product Code: VIS548F

**Product Properties** 

**Physical Data** 

Product Description: 548 nm Visible Dye

Compatible So	olvents
Alcohols	Soluble
Ketones	Soluble

	Absorbance Maximum (nm):	548 (Methanol), 559 (Polycarbonate)	
	Absorptivity (L g <sup>-1</sup> cm <sup>-1</sup> ):	207	
	Melting Point (°C):	170, 295 Decomposition	
	Appearance:	Purple/Grey Powder, Pink Solution	
1.1			
1		^ ^	
	Methanol Solution	/ // \	
0.9	——280C Polycarbonate	<del>- / / \                                </del>	
	,		
0.8			
0.7			
0.7			
0.6		$\mathcal{A}$	
0.6			
0.5	/_/		
	//		
0.4	//_		
	//		
0.3			
0.2			
0.1			
0.1			
0			
400	450 500	550 600 650	700

VIS548F is one of many Visible Dyes for solvent systems available through QCR Solutions Corp. We offer NIR dyes in a wide spectral range between 400nm - 700nm for various applications. Our large library of absorbers contains narrow notch to broad band absorption curves. These NIR dyes can be used singly or in combination to create custom spectral filters.

Let us help select the right absorbing dye for your specific application.

## **QCR Solutions Corp**

Your Trusted Source for Near Infrared (NIR) Dyes, Conjugated Polymers, Thermochromic Inks and Custom Synthesis.

## All Applications using any QCR Solutions Corp products should be thoroughly tested prior to approval for production.

Wavlength (nm)

Information in this Technical Data Sheet is compiled from our general experience and data obtained from various technical publications. While we believe that the information provided herein is accurate at the date hereof, no responsibility for its completeness or accuracy can be assumed. Tests are carried out under controlled laboratory conditions. Information is given in good faith, but without commitment as conditions vary in every case. The information is provided solely for consideration, investigation and verification by the user. We do not except any liability for any loss, damage or injury resulting from its use (except as required by law). Please refer to the Material Safety Data Sheet before using products to ensure safe handling.